



Case file no.: MH-27526-INST

Date of Issue: 08/02/2022

Document No.: 22-RSO-734005

Valid till: 08/02/2025

**Approval of Radiological Safety Officer**

1. The DIRECTOR, TCR ENGINEERING SERVICES PVT LTD, Navi Mumbai is hereby informed that the Competent Authority, Chairman, Atomic Energy Regulatory Board (AERB), in exercise of powers conferred under Rule 19 of the Atomic Energy (Radiation Protection) Rules, 2004, has approved the nomination of ANANTA KISHORE PARIDA as Radiological Safety Officer (RSO) in the TCR ENGINEERING SERVICES PVT LTD, Navi Mumbai for the facilities as mentioned in annexure-1 to this document on the basis of information provided in the application.
2. The RSO shall submit the periodic reports to AERB, in the prescribed format on safety status of the radiation installation.
3. The RSO shall promptly report any radiation safety related unusual occurrence to AERB.
4. The RSO shall perform his duties and responsibilities as stipulated in Atomic Energy (Radiation Protection) Rules, 2004 and other related regulatory documents (refer annexure-2).
5. This approval stands cancelled in the event of ANANTA KISHORE PARIDA relinquishing the charge as RSO in TCR ENGINEERING SERVICES PVT LTD, Navi Mumbai.

Issuing Authority,

Dr. P. K. Dash Sharma  
Head, RSD

(This is an electronically generated letter and hence signature is not required)

DIRECTOR  
TCR ENGINEERING SERVICES PVT LTD  
EL 182 ELECTRONIC ZONE, TTC MIDC MAHAPE, Navi Mumbai - 400710 (Maharashtra)

Copy: ANANTA KISHORE PARIDA  
TCR ENGINEERING SERVICES PVT LTD  
EL 182 ELECTRONIC ZONE, TTC MIDC MAHAPE, Navi Mumbai - 400710 (Maharashtra)



**Case file no.:** MH-27526-INST

**Date of Issue:** 08/02/2022

**Document No.:** 22-RSO-734005

**Valid till:** 08/02/2025

**Annexure-1**

<b>Sl. No.</b>	<b>Practice</b>	<b>Role(s) of Institute</b>
1	Industrial Radiography	Industrial Radiography (Radiation Facility)

## Annexure-2

### Duties and Responsibilities of the Radiological Safety Officer

- (1) The Radiological Safety Officer shall be responsible for advising and assisting the employer and licensee on safety aspects aimed at ensuring that the provisions of these rules are complied with.
- (2) The Radiological Safety Officer shall:-
  - (a) carry out routine measurements and analysis on radiation and radioactivity levels in the controlled area, supervised area of the radiation installation and maintain records of the results thereof;
  - (b) investigate any situation that could lead to potential exposures;
  - (c) advise the employer regarding -
    - i. the necessary steps aimed at ensuring that the regulatory constraints and the terms and conditions of the licence are adhered to;
    - ii. the safe storage and movement of radioactive material within the radiation installation;
    - iii. Initiation of suitable remedial measures in respect of any situation that could lead to potential exposures; and
    - iv. routine measurements and analysis on radiation and radioactivity levels in the off-site environment of the radiation installation and maintenance of the results thereof;
  - (d) ensure that -
    - i. reports on all hazardous situations along with details of any immediate remedial actions taken are made available to the employer and licensee for reporting to the competent authority and a copy endorsed to the competent authority;
    - ii. quality assurance tests of structures, systems, components and sources, as applicable are conducted; and
    - iii. monitoring instruments are calibrated periodically.
  - (e) assist the employer in -
    - i. instructing the workers on hazards of radiation and on suitable safety measures and work practices aimed at optimizing exposures to radiation sources; and
    - ii. the safe disposal of radioactive wastes; and
    - iii. developing suitable emergency response plans to deal with accidents and maintaining emergency preparedness;
  - (f) advise the licensee on -
    - i. the modifications in working condition of a pregnant worker; and
    - ii. the safety and security of radioactive sources;
  - (g) furnish to the licensee and the competent authority the periodic reports on safety status of the radiation installation; and
  - (h) inform the competent authority when he leaves the employment.
- (3) The Radiological Safety Officer shall have personal monitoring badge prior to handling of radiation source(s) at the facility.