



**National Accreditation Board for
Testing and Calibration Laboratories**
(A Constituent Board of Quality Council of India)



CERTIFICATE OF ACCREDITATION

TCR ENGINEERING SERVICES PVT. LTD.

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2005

"General Requirements for the Competence of Testing & Calibration Laboratories"

for its facilities at

VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone,
Mahape, Navi Mumbai, Maharashtra

in the field of

TESTING

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304)

Issue Date 27/02/2018

Valid Until 26/02/2020

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Signed for and on behalf of NABL

N. Venkateswaran
Program Director



89076970100030000831

Anil Relia
Chief Executive Officer



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) **Page 1 of 22**

Validity 27.02.2018 to 26.02.2020 **Last Amended on --**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

CHEMICAL TESTING

AT LAB				
I.	METALS & ALLOYS			
1.	Ferrous Base			
a.	Stainless Steel	Carbon	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	0.01 % -1.5%
		Sulphur	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	0.001 % - 0.3%
		Phosphorus	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	0.005 % -0.25%
		Manganese	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	0.10 % -16.5%
		Silicon	ASTM E1086 -2014 OES IS 9879-98 OES	0.10 % -2.0%
		Chromium	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	5.0 % -30.0%
		Nickel	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	0.2 % - 20.0%
		Molybdenum	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	0.01 % -4.0%
		Titanium	TCR/TM-03(2013) OES Issue.No.2/Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.005 % -0.50%
		Niobium	ASTM E1086 -2014 OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -1.5%

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 2 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Zirconium	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.003 % -0.8%
		Vanadium	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -2.0%
		Copper	ASTM E1086 -2014 OES IS 9879-98 Ra 2015 OES	0.001 % -5%
		Aluminum	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -1.5%
		Tungsten	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -21%
		Cobalt	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -1.0%
		Tin	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.1%
		Antimony	TCR/TM-03(2013) OES Issue.No.2/Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.5%
		Tantalum	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.01%

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) **Page 3 of 22**

Validity 27.02.2018 to 26.02.2020 **Last Amended on --**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Boron	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.01%
		Lead	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.3%
		Nitrogen	TCR/TM-03(2013) OES Issue.No.2/Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.01 % -0.4%
b.	Carbon Steel & Low Alloy Steel	Carbon	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.0010 % -1.5%
		Sulphur	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.001 % -0.3%
		Phosphorus	ASTM E415-2014OES IS 8811-98 Ra.2012OES	0.001 % -0.3%
		Manganese	ASTM E415-2014OES IS 8811-98 Ra.2012 OES	0.01 % -4.0%
		Silicon	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.01 % -2.00%
		Chromium	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.01 % -4.00%
		Nickel	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.01 % -4.50%
		Molybdenum	ASTM E415-2014OES IS 8811-98 Ra 2012OES	0.010 % -4.00%
		Titanium	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.010 % -0.5%
		Niobium	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.01 % -1.5%
		Zirconium	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.001 % -0.8%

Sachin

Sachin Tomar
Convenor

Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 4 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Vanadium	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.001 % -2%
		Copper	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.01 % -5%
		Aluminum	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.001 % -1.5%
		Tungsten	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.01 % -2.0%
		Cobalt	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.005 % -1.0%
		Tin	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.005 % -0.1%
		Antimony	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.001 % -0.5%
		Tantalum	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.1%
		Boron	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.001 % -0.01%
		Lead	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.3%
		Nitrogen	ASTM E415-2017OES IS 8811-98 Ra 2012OES	0.01 % -0.4%
c.	Tool steel	Carbon	TCR/TM-03(2013) OES	0.20 % -3.00%
		Sulphur	Issue.No.2 Date 28.12.2013	0.005 % -0.05%
		Phosphorus	Amd.No.1 Date 02.01.2018	0.001 % -0.3%
		Manganese		0.10 % -0.1.0%
		Silicon		0.10 % -1.50%

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 5 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Chromium		2.0 % -16.0%
		Nickel		0.01 % -4.50%
		Molybdenum		0.20 % -10.0%
		Titanium		0.001 % -0.5%
		Copper		0.001 % -2.0%
		Cobalt		0.01 % -10.00%
		Vanadium		0.001 % -2.0%
		Tungsten		0.001 % -14.00%
d.	Cast Iron	Carbon	ASTM E 1999-2011 OES	1.00 % -4.00%
		Sulphur	ASTM E 1999-2011 OES	0.01 % -0.30%
		Phosphorus	ASTM E 1999-2011 OES	0.01 % -0.20%
		Manganese	ASTM E 1999-2011 OES	0.05 % -2.50%
		Silicon	ASTM E 1999-2011 OES	1.00 % -2.0%
		Chromium	ASTM E 1999-2011 OES	0.5 % -1.00%
		Nickel	ASTM E 1999-2011 OES	0.1 % -3.00%
		Molybdenum	ASTM E 1999-2011 OES	0.05 % -0.50%
		Titanium	ASTM E 1999-2011 OES	0.001 % -0.5%
		Copper	ASTM E 1999-2011 OES	1.00 % -4.00%
		Aluminum	TCR/TM-03(2013) Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.010 % -0.50%
		Tin	ASTM E 1999-2011 OES	0.010 % -0.10%
		Lead	TCR/TM-03(2013) OES Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 % -0.10%
2.	Non Ferrous Base			
a.	Copper and Its Alloys	Tin	TCR/TM-03(2013)	0.001 % -7.5%
		Zinc	Issue.No.2 Date 28.12.2013	0.001 % -40.0%
		Lead	Amd.No.1 Date 02.01.2018	0.001 % -7.0%
		Iron		0.001 % -6.0%
		Nickel		0.001 % -6.0%

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 6 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Aluminum		0.001 % -12.0%
		Manganese		0.001 % -7.0%
		Sulphur		0.001 %-0.01%
		Arsenic		0.001 %-0.2%
		Cobalt		0.01 %-0.5%
		Antimony		0.001 %-2.0%
		Silver		0.001 %-1.0%
		Cadmium		0.0005 % -0.15%
		Beryllium		0.01 % -3.0%
		Bismuth		0.001 %-0.1%
		Silicon		0.001 % -5.5%
		Chromium		0.0005 % -1.0%
		Phosphorus		0.001 %-1.0%
b.	Aluminum and Its Alloys	Copper	ASTM E 1251-2017 OES ASTM E 227-1996	0.001 %-9.0%
		Tin	ASTM E 1251-2017 OES	0.001 %-2.0%
		Zinc	ASTM E 1251-2017 OES	0.001 %-9.0%
		Lead	ASTM E 1251-2017 OES	0.001 %-0.50%
		Iron	ASTM E 1251-2017 OES	0.001 %-1.5%
		Nickel	ASTM E 1251-2017 OES	0.001 %-2.0%
		Manganese	ASTM E 1251-2017 OES	0.01 %-1.5%
		Titanium	ASTM E 1251-2017 OES	0.01 %-0.50%
		Chromium	ASTM E 1251-2017 OES	0.001 %-0.50%
		Silicon	ASTM E 1251-2017 OES	0.01 %-15.0%
		Magnesium	ASTM E 1251-2017 OES	0.001 %-9.0%
		Zirconium	ASTM E 1251-2017 OES	0.01 %-0.1%
		Vanadium	ASTM E 1251-2017 OES	0.001 %-0.1%
		Cadmium	TCR/TM-03(2013) Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001 %-0.1%
		Antimony	ASTM E 1251-(2017) OES	0.001 %-0.50%

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 7 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection		
c.	Nickel and Its Alloys	Carbon	TCR/TM-03(2013)	0.001 %-0.5%		
		Sulphur	Issue.No.2 Date 28.12.2013	0.001 %-0.1%		
		Phosphorus	Amd.No.1 Date 02.01.2018	0.001 % to 0.1%		
		Manganese		0.001 % -2.0%		
		Silicon		0.005 %-5.0%		
		Chromium		0.001 %-32.0%		
		Molybdenum		0.001 %-30.0%		
		Copper		0.001%-34.0%		
		Tungsten		0.001%-5.0%		
		Iron		0.001%-20.0%		
		Aluminum		0.001%-5.0%		
		Titanium		0.001%-1.5%		
		Vanadium		0.001%-0.5%		
		Niobium		0.001%-5.0%		
3.	Metal Alloys - Wet Chemical Analysis	a.	Iron Base and Its Alloys	Manganese	TCR/TM-AAS-01-06(2013)	0.001%-16.0%
				Chromium	Issue.No.1/Date 28.12.2013	0.001%-28.0%
		Nickel	Amd.No.1 Date 02.01.2018	0.001%-11.0%		
		Molybdenum	TCR/TM- ICP-01-06(2013)	0.001%-32.0%		
		Titanium	Issue.No.1/Date 28.12.2013	0.001%-1.0%		
			Amd.No.1 Date 02.01.2018			
		Niobium	TCR/TM- ICP-01-06(2013)	0.001%-3.5%		
		Zirconium	Issue.No.1 Date 28.12.2013	0.001%-0.01%		
		Vanadium	Amd.No.1 Date 02.01.2018	0.001%-2.0%		

Sachin

Sachin Tomar
Convenor

Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 8 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Copper	TCR/TM-AAS-01-06(2013)	0.001%-3.25%
		Aluminum	Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018 TCR/TM- ICP-01-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001%-2.0%
		Tungsten	TCR/TM- ICP-01-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001%-7.0%
		Cobalt	TCR/TM-AAS-01-06(2013)	0.001%-8.0%
		Tin	Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018 TCR/TM- ICP-01-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001%-0.15%
		Tantalum	TCR/TM- ICP-01-06(2013)	0.001 %-0.03%
		Boron	Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001%-0.05%
		Lead	TCR/TM-AAS-01-06(2013)	0.0001%-0.50%
		Magnesium	Issue.No.1 Date 28.12.2013	0.001%-0.30%
		Arsenic	Amd.No.1 Date 02.01.2018 TCR/TM- ICP-01-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001%-0.60%

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 9 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection	
b.	Copper Base and Its Alloys	Tin	TCR/TM-AAS-02-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001% – 8.0%	
		Zinc		0.001 % – 5.0%	
		Lead		0.0001% – 4.50%	
		Iron		0.001 %– 5.50%	
		Nickel		TCR/TM- ICP-02-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001% – 5.0%
		Aluminum			0.001% – 10.0%
		Arsenic			0.0001% – 0.050%
		Cobalt			0.001 % – 0.20%
		Antimony			0.001 %– 0.30%
		Silver			0.001 % – 0.10%
		Cadmium			0.0001 % – 0.20%
		Beryllium			0.001 % – 2.0%
		Bismuth			0.001 % – 0.20%
		Chromium			0.01% – 1.50%
		Tellurium			0.01% – 0.10%
Selenium	0.01% – 0.10%				
Mercury	TCR/TM- ICP-02-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001% – 0.10%			
c.	Aluminum Base and Its Alloys	Tin	TCR/TM-AAS-03-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018		0.001% – 0.30%
		Zinc			0.001% – 8.0%
		Lead		0.001% – 1.50%	
		Iron		0.001% – 1.50%	
		Nickel		TCR/TM- ICP-03-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001% – 2.50%
		Manganese			0.001% – 1.50%
		Titanium			0.001% – 0.30%
		Chromium			0.001% – 0.20%
		Magnesium			0.001% – 2.50%
		Boron			0.0010% – 0.01%
		Zirconium			0.001% – 0.20%
Vanadium	0.001% – 0.20%				

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 10 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Cadmium	TCR/TM-AAS-03-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018 TCR/TM- ICP-03-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001% - 0.10%
d.	Nickel Base and Its Alloys	Manganese	TCR/TM-AAS-04-06(2013) Issue.No.1 Date 28.12.2013	0.005% - 1.0%
		Chromium	Amd.No.1 Date 02.01.2018	0.001% - 22.0%
		Molybdenum	TCR/TM- ICP-04-06(2013) Issue.No.1 Date 28.12.2013	0.001% - 17.0%
		Copper	Amd.No.1 Date 02.01.2018	0.001% - 1.0%
		Tungsten	TCR/TM- ICP-04-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001% - 6.0%
		Iron	TCR/TM-AAS-04-06(2013) Issue.No.1 Date 28.12.2013	0.001% - 10.0%
		Aluminum	Amd.No.1 Date 02.01.2018	0.001% - 1.20%
		Titanium	TCR/TM- ICP-04-06(2013) Issue.No.1 Date 28.12.2013	0.001% - 2.50%
		Vanadium	Amd.No.1 Date 02.01.2018	0.001% - 0.60%
		Niobium	TCR/TM- ICP-04-06(2013) Issue.No.1 Date 28.12.2013	0.001% - 4.0%
		Cobalt	Amd.No.1 Date 02.01.2018	0.001% - 17.0%
		Tantalum	TCR/TM- ICP-04-06(2013) Issue.No.1 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001%-0.10%

Sachin

Sachin Tomar
Convenor

Herediton

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 11 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
e.	Iron Base and Its Alloys (Stainless Steel, Carbon & Low Alloy Steel, Tool Steel, Cast Iron)	Carbon	ASTM E1019 – 11 (LECO-CS)	0.001 %-4.50%
		Sulfur	ASTM E1019 – 11 (LECO-CS)	0.0001 %-0.60%
		Phosphorus	IS 228 – Pt.3-1987-Ra-2012	0.010 %-0.50%
		Manganese	IS 228-Pt.2-1987 Ra.2012	0.10 %-10.0%
		Silicon	IS 228 – Pt.8-1987– Ra-2014	0.05% to 5.0%
		Chromium	IS 228 – Pt. 6-1987-Ra-2014 TCR/TM/06 Issue.No.1 Date 30.1.2016 Amd.No.1 Date 15.01.2018	0.10 % – 40.0%
		Nickel	IS 228-Pt -5-1987-Ra-2014	0.10 % – 50.0%
		Nitrogen	IS 228-Pt-19-19987-Ra.2016	0.001 % -0.50%
		Tungsten	IS 228 – Pt.16-1992-Ra.2014	0.10 % – 25.0%
f.	Copper Base and Its Alloys	Copper (Pure)	IS 440 – 1964 Ra-2012	90.00 % -99.99%
		Copper (Cu base alloy)	IS 3685-1966 Ra2012 IS 4027 –part 1-1987-Ra.2012	30.0 % -90.0%
		Tin	IS 4027-part 5-1987-Ra.2012 ASTM E 478-08	0.10 % to 15.0%
		Zinc	ASTM E 478-08 (2017)	0.5 % -20.0%
		Lead	IS 3685-1966-Ra.-2012 ASTM-E-478-08 (2017) IS 4027 –part 1-1987-Ra.2012	0.01 % -15.0%

Sachin

Sachin Tomar
Convenor

Heritson

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 12 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Iron	IS 3685-1966-Ra-2012	0.01 % -1.0%
		Nickel	ASTM-E-478-08 (2017)	4.0 % - 50.0%
		Silicon	ASTM-E-478-08 (2017)	0.001 % – 5.0%
		Phosphorus	IS 4027-part 3-1987-Ra.2012 IS 3685-1966 Ra 2012	0.0001 % -1.00%
		Sulfur	ASTM E1019-2011 LECO CS	0.001 % -0.10%
		Carbon	ASTM E1019-2011 LECO CS	0.001 % -0.30%
g.	Aluminum base and Its Alloys	Silicon	IS 504-1963/IS 504 Part 1 2002 ASTM E 34-11/ ASTM E-3061-17	0.02 %-20.0%
h.	Nickel Base and Its Alloys	Aluminum	ASTM E 354- 2014	0.20 % – 18.0%
		Carbon	E1019- 11 (LECO-CS)	0.005 %– 1.0%
		Sulfur	E1019- 11 (LECO-CS)	0.002 to 0.10%
		Phosphorus	ASTM E 354- 2014	0.01%– 0.080%
		Silicon	ASTM E 354- 2014	0.01% – 5.0%
		Chromium	ASTM E 354- 2014	0.10% – 33.0%
		Molybdenum	ASTM E 354- 2014	0.1% – 30.0%
		Nitrogen	TCR/TM/04-(2006) (Wet) Issue.No.2 Date 28.12.2013 Amd.No.1 Date 02.01.2018	0.001% to 0.50%
		Copper	ASTM E 354- 2014	0.001% – 10.0%
4.	Metal Identification by Portable XRF Analyzer			
a.	PMI -Ferrous Base	Chromium	ASTM E1476-04(2014)	Qualitative
		Nickel		
		Molybdenum		
		Vanadium		
		Tungsten		
		Cobalt		

Sachin

Sachin Tomar
Convenor

Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 13 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Niobium		
		Titanium		
		Copper		
b.	PMI -Nickel Base	Nickel	ASTM E1476-04(2014)	Qualitative
		Chromium		
		Molybdenum		
		Tungsten		
		Cobalt		
		Iron		
		Niobium		
		Titanium		
c.	PMI -Copper Base	Copper	ASTM E1476-04(2014)	Qualitative
		Zinc	(XRF)	
		Lead		
		Tin		
		Nickel		
II.	HAZARDOUS & RESTRICTED CHEMICALS			
1.	Polymer (Products of Plastics, Resins, Paints, Rubbers Glues, Fabrics, Paper products)	Mercury	IEC 62321(Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg
		Lead	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg
		Chromium	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg
		Cadmium	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg

Sachin

Sachin Tomar
Convenor

Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) **Page 14 of 22**

Validity 27.02.2018 to 26.02.2020 **Last Amended on --**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
2.	Metallic (Ferrous Metal & Its Alloys Like Stainless Steels, Low Alloy Steel, Carbon Steel, Tool Steel, Cast Irons) Non Ferrous Metals & Its Alloys Like Aluminum, Copper, Nickel, Lead and Tin Base	Mercury	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg
		Lead	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg
		Chromium/Cr(VI)	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg
		Cadmium	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 mg/kg to 1000 mg/kg
3.	Electronics (Capacitors, Power Cables, Light Fixtures, Types Of Lamps Resistors, Transistors, Solders, PCB Electrical Wirings, Various Computer Parts)	Mercury	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 to 1000 Mg/Kg
		Lead	IEC 62321 (Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 to 1000 Mg/Kg
		Chromium	IEC 62321-3-1:2013 IS 16197 (Part3/Sec1):2014 TCR/TM/ICP/05(ROHS) IEC 62321 Ed.1 2008-12	10 to 1000 Mg/Kg
		Cadmium	IEC 62321(Part-1-5):2013 IS 16197 (Part 1-5):2014 TCR/TM/ICP/05(ROHS)	10 to 1000 Mg/Kg
III.	CORROSION TESTS			
1.	Metals & Coated / Plated Products	Salt Spray Test	ASTM B117-2016 ISO 9227-2017 IS 6910-1985 Ra 2016	Qualitative

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 15 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

CHEMICAL TESTING

AT SITE				
I.	METALS & ALLOYS			
1.	Metal Identification by Portable XRF Analyzer			
a.	PMI -Ferrous Base	Chromium	ASTM E1476-04(2014)	Qualitative
		Nickel		
		Molybdenum		
		Vanadium		
		Tungsten		
		Cobalt		
		Niobium		
		Titanium		
		Copper		
b.	PMI -Nickel Base	Nickel	ASTM E1476-04(2014)	Qualitative
		Chromium		
		Molybdenum		
		Tungsten		
		Cobalt		
		Iron		
		Niobium		
		Titanium		
c.	PMI -Copper Base	Copper	ASTM E1476-04(2014) (XRF)	Qualitative
		Zinc		
		Lead		
		Tin		
		Nickel		

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 16 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

MECHANICAL TESTING

I.	MECHANICAL PROPERTIES OF METALS			
1.	Ferrous & Nonferrous - Material & Products - Steel, Alloy Steel, Cast Iron, Cu- Cu Alloy, Al-Al Alloy, Ni-Ni - Alloys, Ti-Ti Alloys	Tensile Test YS/0.2% & 1% YS UTS % EL % RA	ASTM A370-17 ASTM E8-16a ASME SEC. IX - 17 BS EN 10002-1:01 ISO6892-1:16 IS 1608:05(RA2011)	25Mpa-5000Mpa 25Mpa-5000Mpa 2.0 % -80.0 % 2.0 % -90.0 % 1 kN-350.0 kN 2.0 % - 80.0 % 2.0 % - 65.0 %
		Through Thickness Tensile Test % RA	ASTM A770-03(2012)	2.0 % -75.0 %
		Elevated Temp. Tensile Test (80 °C to 800 °C) YS/0.2% & 1% YS UTS % EL % RA	ASTM E21-09 EN10002-5:1991 ISO6892-2:2011	10 kN-950.0 kN 5-45.0kN 25kN-240.0kN 2.0 % - 80.0 % 2.0 % - 65.0 %
2.	Ferrous & Non Ferrous - Material & Products - Steel, Alloy Steel, Cast Iron, Cu- Cu Alloy, Al-Al Alloy, Ni-Ni Alloys, Ti-Ti Alloys	Fatigue Test LCF/HCF a)Tension-Tension b)Tension-Compression c)Compression-Compression	ASTM E466-2015 ASTM E606-2012 IS 5074:1969(RA2010)	1kN - 45kN 2.5kN - 240.0kN (Qualitative)
3.		Reinforcement Bar/ Coupler	Fatigue Test HCF	IS 16172-2014

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) **Page 17 of 22**

Validity 27.02.2018 to 26.02.2020 **Last Amended on --**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
		Static Tensile Test a)UTS b)% EL Slip Test	IS 16172-2014	25Mpa-5000Mpa 25Mpa-5000Mpa 1.0 % – 50.0 % 0.01 -5.0 mm
4.	Ferrous & Non - Ferrous - Material & Products - Steel, Alloy Steel, Cast Iron, Cu- Cu Alloy, Al-Al Alloy, Ni-Ni Alloys, Ti-Ti Alloys	Fracture Toughness 1)KIC & JIC 2)CTOD 3)FCGR	ASTM E399-13e3 ASTME1290-08e1 ASTM E1820-2017 BS 7448(Part1-4) (I-1991,II-199,III-2005, IV-1997) ASTM E647-2015e1/ ISO12108-2012 ISO15653-2010	5Mpa to 100Mpa 0.5kJ/m ² - 1000kJ/m ² 0.01mm to 5.0mm 10 ⁻⁹ da/dN – 10 ⁻² da/dN
5.	Fasteners	Proof Load Test (Bolts, studs & nuts)	IS 1367-6: 1994(RA2015) IS 1367-3: 2002(Ra.2007) ASTM A 370-2017	10 kN-980.0 kN (M3 to M39) (Qualitative)
6.	Ferrous & Nonferrous - Material & Products - Steel, Alloy Steel, Cast Iron, Cu- Cu Alloy, Al-Al Alloy, Ni-Ni Alloys, Ti-Ti Alloys	Brinell hardness	ASTM A 370-2017 IS 1500(Pt.1&2)-2013 ASTM E10-2017	2.5 mm /187.5 kgf (100-400HBW) 2.5 mm/62.5 kgf, (32- 303HBW) 2.5 mm/31.25 kgf, (16 – 125 HBW)
		Vickers' Hardness (Macro indentation)	IS1501(Pt. 1)-2013 IS1501(Pt. 2)-2013 ASTM E92-2017	HV5, (40 – 700) HV10, (80 – 600)
		Vickers' Hardness (Micro indentation)	ASTM E 384-2017	(25Hv to1100Hv) 0.1, 0.2, 0.3, 0.5, 1.0 kgf.
		Rockwell Hardness	IS 1586(Pt. 2)-2012 ASTM E 18-2017 e1	30 – 100 / HRB 20 – 70 / HRC
		Bend Test	IS1599-2012 Ra 2015 ASTM A 370-2017 ASTM E290-2014 ASTM E190-2014 ASME SEC IX-2017	Qualitative analysis (Mandrel Diameter (in mm): 10, 12, 16, 20, 24, 25, 30, 32, 36, 40, 50, 60, 75, 100, 120, 128, 160,

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 18 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
7.	Reinforce bar	Re-bend Test	BS-EN-910-1996 IS:1786-2008 Ra2013	200, 275, 280 Qualitative analysis (Mandrel Diameter: 10, 12, 16, 20, 24, 25, 30, 32, 36, 40, 50, 60, 75, 100, 120, 128, 160, 200, 275 mm)
8.	Ferrous & nonferrous - Material & Products – steel, alloy steel, cast iron, Cu- Cu Alloy, Al-Al alloy, Ni-Ni alloys, Ti-Ti alloys	Izod Impact Test Charpy Impact Test (+100 to -196 °C)	IS1598–1977(Ra.2015) ASTM A 370–2017 ASTM E 23–2016b BS EN875 - 1995 IS 1757 Part–1: 2014 DIN EN ISO 148-1-2011	2- 150 Joules / (2J -120J) 2-300 Joules (2-300 J) 2-450 Joules (2-450 J) (25 °C to -196 °C)
9.	Ferrous & nonferrous - Material & Products – steel, alloy steel, cast iron, Cu- Cu Alloy, Al-Al alloy, Ni-Ni alloys, Ti-Ti alloys	Flattening Test (Tubes & Pipes) Flaring / Drift Test (Tubes & Pipe)	ASTM A 370–2017 ASTM B 111-2016 IS 2328–2005 Ra 2017 IS 2501-95 Ra.2016 ASTM A 370–2017 ASTM B 153–11 (2017) IS 2335–2005 Ra 2017 IS 2501–1995 Ra.2016	Qualitative (OD: 6mm to 600mm) Qualitative (OD 10mm to 168 mm)
10.	Ferrous & nonferrous - Material & Products – steel, alloy steel, cast iron, Cu- Cu Alloy, Al-Al alloy, Ni-Ni alloys, Ti-Ti alloys	Erichsen Cupping Test (Ferrous Sheet) Pneumatic Pressure Test (Pipes /Tubes) Hydraulic Pressure Test (Tubes/Pipes/Fittings)	IS 10175-2012 ISO-8490–1986 IS 2501 – 1995 Ra 2016 ASTM B 75-2011 B111 –2016 ASTMA 530-12 ASTM A450-15 ASTM A999 –2016 ASTM B75M –2011 ASTM B111 – 2016 ASTM E1003-2013	(0.20 to 2.00mm Thickness) Qualitative analysis (2 – 15 Kg/cm ²) (3.18to 25.4 mm OD) Qualitative analysis (2 - 70 Kg/cm ²) (5 - 250 Kg/cm ²) (20 - 600 Kg/cm ²) (20 - 1000 Kg/cm ²) (6.0 to 168.3mm OD)

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 19 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
11.	(Copper & Copper Alloys)	Mercurous Nitrate Test	IS 2305-1988 Ra 2015 ASTM B 154-2016	Qualitative analysis Pipe O/D: (6.35 -250mm) 1mm to 50mm thick plate 5mm Dia. To 150mm Dia.
12.	Zinc Coated Iron & Steel	Mass of Coating (stripping method) Pipe/Plate/sheet Wire)	IS 6745 -1972 (Ra 2016) ASTM A90-2013	10gsm - 1200gsm
II.	METALLOGRAPHY TEST			
1.	Ferrous & nonferrous - Material & Products - steel, alloy steel, cast iron, Cu- Cu Alloy, Al-Al alloy, Ni-Ni alloys, Ti-Ti alloys	Micro Examination General structure	ASM Vol. 9 ASTM E3-2011 (2017) ASTM E407-2015e1	Qualitative analysis 50X ,100X, 200X ,500X, 1000X
		Grain size (Comparison Method)	ASTM E112-13 IS 4748 -2009	At 75X & 100X Avg. Grain Dia. 0.2 to 0.005mm ASTM NO. 00 - 10.5
2.	Cast Iron	Distribution of Graphite in Cast Iron (Type, shape, size, %)	IS 7754 -1975 Ra.2012 ASTM A247 -2017	Qualitative Upto 100X
3.	Ferrous & nonferrous - Material & Products - steel, alloy steel, cast iron, Cu- Cu Alloy, Al-Al alloy, Ni-Ni alloys, Ti-Ti alloys	Decarburization (By Microscope)	IS 6396-2000 Ra 2012 ASTM E1077-2014	0.01 to 2.0 mm
		Case Depth (By Microscope)	IS 6416:1988(RA2012)	0.01 and 2mm
		Effective Case Depth (Hardness Method)		Hv 0.05 - Hv1. 0.01 - 3.0mm
		Thickness of Coating (Microscope Method)	ASTM B487-85(2013)	0.01 to 2.0mm
4.	Ferrous Metals	Inclusion Rating Test Method- A and D	ASTM E45-2013 IS 4163 -2004 Ra 2010	At 100X Thin / Heavy A,B,C & D; 0.5 to 3.0

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) **Page 20 of 22**

Validity 27.02.2018 to 26.02.2020 **Last Amended on --**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
5.	Ferrous & nonferrous - Material & Products - steel, alloy steel, cast iron, Cu- Cu Alloy, Al-Al alloy, Ni-Ni alloys, Ti-Ti alloys	Macro etch Test	ASTM E340-2015 ASTM E381-2017 DIN BS EN 1321- 1996 BS EN ISO 17639-2013	Qualitative 10X,15X,20X,30X, 40X
6.	Stainless Steel	Ferrite Content Test (By Microscopic method)	ASTM E562-2011	2 %- 70%
		Ferrite Content Test (By Ferrite-scope)	ASTM A799-2010(RA2015) ASTM A800-2014	0.5%- 70%
7.	Austenitic Stainless Steel	IGC Practice A	ASTM A262 - 2015	250X-500X
		IGC Practice B		0.001mpy -100mpy
		IGC Practice C		0.001mpy -100mpy
		IGC Practice E		Qualitative analysis (former dia. 1t, 2t, 4t)
		IGC Practice F		Qualitative analysis
8.	Duplex stainless	IGC Method-A	DIN-EN-ISO 3651-2 1998	Qualitative analysis
		IGC Method-B		
		IGC Method-C		
9.	Ferritic Stainless Steel	IGC Test Practice W, X, Y & Z	ASTM A763-2015	Pr. W, Z; 250X, 500X Pr. X,Y 0.001 mpy to 100 mpy
10.	Nickel based Alloys	IGC Method-A	ASTM G28-02(2015)	0.001 mpy to 100 mpy
		IGC Method-B		0.001 mpy to 100 mpy
11.	Ferrous & nonferrous - Material & Products - steel, alloy steel, cast iron, Cu- Cu Alloy,	HIC Test	NACE TM 0284-2016	Qualitative
		SSCC Test	NACE TM 0177-2016, ASTM G39-99(2016) ISO 11439 (2013) IS 15490 (2017) ASTM B858-2006(2012)	Qualitative

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) Page 21 of 22

Validity 27.02.2018 to 26.02.2020 Last Amended on --

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
	Al-Al alloy, Ni-Ni alloys, Ti-Ti alloys	MgCl ₂ CaCl ₂	ASTM G36-94 (2013)	Qualitative
12.	Stainless Steel	Pitting Corrosion (Method A,C,E)	ASTM G48-2015	0.0001 g/cm ² to 100 g/cm ²
		Crevice Corrosion (Method B,D,F)		
		Detection of Detrimental intermetallic Phases	ASTM A923-2014	Method A At 400X, 500X
		Method A, B & C		Method B 2J to 400J
				Method C Quantitative analysis 0.01 to 10 mdd

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director



National Accreditation Board for Testing and Calibration Laboratories

(A Constituent Board of Quality Council of India)



SCOPE OF ACCREDITATION

Laboratory TCR Engineering Services Pvt. Ltd., VKB House, Plot No. EL-182, MIDC, TTC, Industrial Area, Electronic Zone, Mahape, Navi Mumbai, Maharashtra

Accreditation Standard ISO/IEC 17025: 2005

Certificate Number TC-6905 (in lieu of T-0367, T-0368 & T-3304) **Page 22 of 22**

Validity 27.02.2018 to 26.02.2020 **Last Amended on --**

Sl.	Product / Material of Test	Specific Test Performed	Test Method Specification against which tests are performed	Range of Testing / Limits of Detection
-----	----------------------------	-------------------------	---	--

NON - DESTRUCTIVE TESTING

AT LABORATORY & SITE

I. METALS & ALLOYS				
1.	Ferrous & Non Ferrous Metals & Alloys Welds Castings	Radiography Testing X-Rays (Kv-250) Gamma Rays (Ir-192)	ASME Sec. V Article 2 & 22 Edition 2017 (SE-94) ASTM E-446-2015 ASTM E-155-2015 ASTM E-192-2015	2 mm to 40 mm - X-ray & 8 mm to 50 mm gamma ray with 2 % sensitivity Qualitative
2.	Ferrous & Non Ferrous Metals & Alloys	Ultrasonic Testing	ASME Sec. V Article 4,5 & 23 Edition 2017 ASMESA-388-2017 ASME SA-435-2017 ASME SA-577 -2017 ASME SA -578-2017 ASME SA -609-2017 ASME SE -213-2017 ASMESE-273-2017 ASME Sec II 2017	Thickness: 5 mm to 50 mm Diameter: 20 mm to 500 mm Thickness: 6 mm to 300 mm Thickness: 10 mm to 200 mm 25 mm to 1000 mm Thickness Range 5 mm to 100 mm Qualitative
a.	Welds			
b.	Forging			
c.	Plates			
d.	Castings			
e.	Pipes & Tubing			
3.	Ferromagnetic Materials	Magnetic Particle Testing (Yoke & Prod) Visible & Fluorescent	ASME Sec. V Article 7 Edition 2017 SE-709-2017	Surface & Sub Surface Flaws (Depth: 3 mm max) Qualitative
4.	Ferrous & Non Ferrous Metals & Alloys	Liquid Penetrant Testing (Visible Penetrant)	ASME Sec. V Article 6 Edition 2017 SE 165-2017	Flaws open to surface Qualitative

Sachin

Sachin Tomar
Convenor

N. Venkateswaran

N. Venkateswaran
Program Director