CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

CIDCO/EE (QC)/LAB/2026/247 **13/07/2026**

To,
TCR ENGINEERING SERVICES PVT LTD,
PLOT NO. EL-182, MIDC - TTC, ELECTRONIC ZONE,
BEHIND NELCO, MHAPE, NAVI MUMBAI, PIN: 400710.

Subject : Extension to registration for Material Testing Laboratory of **TCR ENGINEERING SERVICES PVT LTD**

Reference :
1. CIDCO/EE(QC)/LAB/2025/268 dated 13/03/2025
2. Our Your Online Application No.020326000000 resubmitted on 13/07/2026
3. NABL Certificate No. NABLT0726MH18640 dated 02/03/2026 valid up to 02/03/2030.

Dear Sir,

This is in continuation to our letter under Reference-1. CIDCO is pleased to inform you that, your application for extension of registration as a Material Testing Laboratory viz. **TCR ENGINEERING SERVICES PVT LTD** situated at **PLOT NO. EL-182, MIDC - TTC, ELECTRONIC ZONE, BEHIND NELCO, MHAPE, NAVI MUMBAI, PIN: 400710"** is hereby approved by this office. The said Laboratory is now registered with this office with effect from 02/03/2026 to 07/02/2027.

You are hereby permitted to test the construction related samples pertaining to various infrastructural and building works of CIDCO as per your revised Scope vide NABL's Certificate of Accreditation under Reference-3.

During the period of registration, the following conditions will be applicable.

1. The Laboratory shall be maintained in working condition for entire period.
2. The laboratory should give top priority to testing of samples of CIDCO works. In case of failure with this respect is noticed, the Laboratories will be deregistered. The laboratory should give top priority to testing of samples of CIDCO works. In case of failure with this respect is noticed, the Laboratories will be deregistered
3. The values of acceptance limits for the test conducted shall be indicated in the test report as per relevant codes.

Regional Office: CIDCO Bhavan, Nariman Point, Mumbai - 400 021 • Tel.: 022 6650 0[illegible]
Head Office: CIDCO Bhavan, CBD Belapur, Navi Mumbai - 400 614 • Tel.: 022 6791 8100
Website: www.cidco.maharashtra.gov.in

4. Whenever the testing is carried out for CIDCO works, Laboratory representative should allow CIDCO's visiting personnel to witness the test.
5. The Laboratory owner should follow all instructions given to them from time to time by the Corporation.
6. The instruments should be got calibrated from time to time as per requirement & calibration certificate shall be made available for inspection to visiting CIDCO officers.
7. Registers showing test conducted and result obtained for CIDCO works shall be maintained & kept in the Laboratory for inspection of the visiting CIDCO officer.
8. The tests shall be carried out as per the procedure mentioned in the relevant tender conditions/specifications/IS codes/BS codes/ASTM/ MORTH etc., as the case may be.
9. Please note that this extended registration of laboratory is valid up to **07/02/2027** only.
10. Lab has to apply for surveillance audit on or before 02/08/2026. The laboratory has to make all necessary arrangement for the same.
11. **Reporting of Regulatory Actions:** The Laboratory shall promptly intimate this office regarding any adverse action, including but not limited to suspension, debarment, or cancellation of accreditation, taken against it by NABL or any other government organization. Failure to provide such notification within 7(Seven) working days may result in the termination of this empanelment.
12. The Certificate is valid for testing of materials as per NABL approved scope only.
13. Application for renewal of registration shall be made 6 (SIX) months before the expiry of the registration.

Thanking you,

Yours faithfully,

13.07.2026

(Sunil J. Deore)
Executive Engineer (Quality Control)
Raigad Bhavan,5th Floor,
CBD-Belapur, Navi Mumbai-400614.